河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00081

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00081
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010014	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	CR-HPR-控轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)						A1拉伸试验 G.L.=A200mm			B1 弯曲试验
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti	屈服 Y.S.	抗拉 T.S.	伸长 EL	
					X10⁻²	X10⁻²	X10⁻³	X10⁻³	X10⁻²	X10⁻³	N/mm2		%	
151229X834	5J06630	16 X2500 X6100	15	27.705	18	21	5	10	23	54	332	445	25.0	OK
151229X835	5J06631	16 X2500 X6100	20	36.940	18	22	9	20	21	58	328	441	20.5	OK
151229X836	5J06631	16 X2500 X6100	15	27.715	18	22	9	20	21	58	333	452	28.5	OK
		TOTAL:	50	92.360										

151229X834	产品号(PRODUCT NO.): 5C29AE243R 5C29AE244R 5C29AE245R 5C29AE246R 5C29AE247R 5C29AE248R 5C29AE249R 5C29AE250R 5C29AE251R 5C29AE252R 5C29AE253R 5C29AE254R 5C29AE255R 5C29AE256R 5C29AE257R
151229X835	产品号(PRODUCT NO.): 5C29AE258R 5C29AE259R 5C29AE260R 5C29AE261R 5C29AE262R 5C29AE263R 5C29AE264R 5C29AE265R 5C29AE266R 5C29AE267R 5C29AE268R 5C29AE269R 5C29AE270R 5C29AE271R 5C29AE272R 5C29AE273R 5C29AE274R 5C29AE275R 5C29AE276R 5C29AE277R
151229X836	产品号(PRODUCT NO.): 5C29AE278R 5C29AE279R 5C29AE280R 5C29AE281R 5C29AE282R 5C29AE283R 5C29AE284R 5C29AE285R 5C29AE286R 5C29AE287R 5C29AE288R 5C29AE289R 5C29AE290R 5C29AE291R 5C29AE292R

注释 NOTES

弯曲:弯曲角度=180° 弯心直径=1.5a
G.L= Gauge Length
Y.S= Yield Strength(ReL or Rp0.2)
T.S= Tensile Strength
E.L= Percentage Elongation After Fracture
B1= Bend Test

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00082

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00082
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010014	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	CR-HPR-控轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)						A1拉伸试验 G.L.=A200mm			B1 弯曲试验
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti	屈服 Y.S.	抗拉 T.S.	伸长 EL	
					$X10^{-2}$	$X10^{-2}$	$X10^{-3}$	$X10^{-3}$	$X10^{-2}$	$X10^{-3}$	N/mm2		%	
151227X623	5J06573	25 X2500 X6100	12	35.431	19	20	7	19	18	55	288	428	25.5	OK
151229X842	5L07091	20 X2500 X6100	4	9.316	19	20	8	22	20	55	279	423	26.5	OK
151229X843	5L07091	20 X2500 X6100	16	37.264	19	20	8	22	20	55	281	428	27.0	OK
151229X844	5L07092	20 X2500 X6100	16	37.264	18	20	11	16	20	57	275	415	30.0	OK
151229X845	5L07092	20 X2500 X6100	4	9.316	18	20	11	16	20	57	269	411	28.0	OK
		TOTAL:	52	128.591										

151227X623	产品号(PRODUCT NO.): 5C27BY172R 5C27BY173R 5C27BY174R 5C27BY175R 5C27BY176R 5C27BY177R 5C27BY178R 5C27BY179R 5C27BY214R 5C27BY215R 5C27BY216R 5C27BY217R
151229X842	产品号(PRODUCT NO.): 5C29AE337R 5C29AE338R 5C29AE339R 5C29AE340R
151229X843	产品号(PRODUCT NO.): 5C29AE341R 5C29AE342R 5C29AE343R 5C29AE344R 5C29AE345R 5C29AE346R 5C29AE347R 5C29AE348R 5C29AE349R 5C29AE350R 5C29AE351R 5C29AE352R 5C29AE353R 5C29AE354R 5C29AE355R 5C29AE356R
151229X844	产品号(PRODUCT NO.): 5C29AE357R 5C29AE358R 5C29AE359R 5C29AE360R 5C29AE361R 5C29AE362R 5C29AE363R 5C29AE364R 5C29AE365R 5C29AE366R 5C29AE367R 5C29AE368R 5C29AE369R 5C29AE370R 5C29AE371R 5C29AE372R
151229X845	产品号(PRODUCT NO.): 5C29AE373R 5C29AE374R 5C29AE375R 5C29AE376R

注释 NOTES

弯曲:弯曲角度=180° 弯心直径=1.5a
G.L= Gauge Length
Y.S= Yield Strength(ReL or Rp0.2)
T.S= Tensile Strength
E.L= Percentage Elongation After Fracture
B1= Bend Test

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00083

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00083
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010014	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	CR-HPR-控轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)						A1拉伸试验 G.L.=A200mm			B1 弯曲试验
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti	屈服 Y.S.	抗拉 T.S.	伸长 EL	
					$X10^{-2}$	$X10^{-2}$	$X10^{-3}$	$X10^{-3}$	$X10^{-2}$	$X10^{-3}$	N/mm2		%	
151227X625	5L07038	30 X2500 X6100	3	10.800	19	21	8	14	17	54	256	405	28.5	OK
151227X626	5L07039	30 X2500 X6100	12	42.942	18	19	11	14	21	53	242	404	26.0	OK
151227X648	5L07038	25 X2500 X6100	4	11.792	19	21	8	14	17	54	292	431	27.0	OK
151227X651	5J06573	25 X2500 X6100	12	35.376	19	20	7	19	18	55	275	427	27.0	OK
151227X652	5J06573	25 X2500 X6100	4	11.792	19	20	7	19	18	55	304	429	26.0	OK
		TOTAL:	35	112.702										

151227X625	产品号(PRODUCT NO.): 5C27BY118R 5C27BY119R 5C27BY120R
151227X626	产品号(PRODUCT NO.): 5C27BY121R 5C27BY122R 5C27BY123R 5C27BY130R 5C27BY131R 5C27BY132R 5C27BY160R 5C27BY161R 5C27BY162R 5C27BY169R 5C27BY170R 5C27BY171R
151227X648	产品号(PRODUCT NO.): 5C27BY222R 5C27BY223R 5C27BY224R 5C27BY225R
151227X651	产品号(PRODUCT NO.): 5C27BY218R 5C27BY219R 5C27BY220R 5C27BY221R 5C27BY226R 5C27BY227R 5C27BY228R 5C27BY229R 5C27BY230R 5C27BY231R 5C27BY232R 5C27BY233R
151227X652	产品号(PRODUCT NO.): 5C27BY234R 5C27BY235R 5C27BY236R 5C27BY237R

注释 NOTES

弯曲:弯曲角度=180° 弯心直径=1.5a
G.L= Gauge Length
Y.S= Yield Strength(ReL or Rp0.2)
T.S= Tensile Strength
E.L= Percentage Elongation After Fracture
B1= Bend Test

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00084

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00084
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010014	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	CR-HPR-控轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)						A1拉伸试验 G.L.=A200mm			B1 弯曲试验	
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti	屈服 Y.S.	抗拉 T.S.	伸长 EL		
					X10⁻²	X10⁻²	X10⁻³	X10⁻³	X10⁻²	X10⁻³	N/mm2		%		
151227X632	5L07039	30 X2500 X6100	12	42.683	18	19	11	14	21	53	245	407	25.0	OK	
		TOTAL:	12	42.683											

151227X632	产品号(PRODUCT NO.): 5C27BY163R 5C27BY164R 5C27BY165R 5C27BY166R 5C27BY167R 5C27BY168R 5C28BY201R 5C28BY202R 5C28BY203R 5C28BY204R 5C28BY205R 5C28BY206R

注释 NOTES

弯曲:弯曲角度=180° 弯心直径=1.5a
G.L= Gauge Length
Y.S= Yield Strength(ReL or Rp0.2)
T.S= Tensile Strength
E.L= Percentage Elongation After Fracture
B1= Bend Test

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00085

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00085
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010013	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	CR-HPR-控轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)						A1拉伸试验 G.L.=A200mm			B1 弯曲试验
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti	屈服 Y.S.	抗拉 T.S.	伸长 EL	
					$X10^{-2}$	$X10^{-2}$	$X10^{-3}$	$X10^{-3}$	$X10^{-2}$	$X10^{-3}$	N/mm2		%	
151229X856	5J06634	35 X2500 X6100	10	42.143	18	21	15	20	19	56	274	422	29.0	OK
151229X865	5L07094	40 X2500 X6100	8	38.512	18	20	14	17	20	63	267	427	31.5	OK
151229X868	5L07094	40 X2500 X6100	7	33.705	18	20	14	17	20	63	287	416	29.0	OK
151229X890	5J06634	35 X2500 X6100	10	42.043	18	21	15	20	19	56	290	447	30.0	OK
151230X891	5J06635	35 X2500 X6100	4	16.816	18	22	11	21	18	61	269	422	30.0	OK
		TOTAL:	39	173.219										

151229X856	产品号(PRODUCT NO.): 6104DE168R 6104DE169R 6104DE172R 6104DE173R 6104DE176R 6104DE177R 6105CE118R 6105CE119R 6105CE120R 6105CE121R
151229X865	产品号(PRODUCT NO.): 6103CE146R 6103CE147R 6103CE150R 6103CE151R 6105CE102R 6105CE103R 6105CE106R 6105CE107R
151229X868	产品号(PRODUCT NO.): 6103CE143R 6103CE148R 6103CE149R 6105CE112R 6105CE113R 6105CE114R 6105CE115R
151229X890	产品号(PRODUCT NO.): 6106CE121R 6106CE122R 6110AE092R 6110AE093R 6110AE098R 6110AE099R 6110AE220R 6110AE221R 6110AE236R 6110AE237R
151230X891	产品号(PRODUCT NO.): 6110AE094R 6110AE095R 6110AE096R 6110AE097R

注释 NOTES

弯曲:弯曲角度=180° 弯心直径=1.5a
G.L= Gauge Length
Y.S= Yield Strength(ReL or Rp0.2)
T.S= Tensile Strength
E.L= Percentage Elongation After Fracture
B1= Bend Test

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00086

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00086
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010013	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	CR-HPR-控轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)						A1拉伸试验 G.L.=A200mm			B1 弯曲试验
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti	屈服 Y.S.	抗拉 T.S.	伸长 EL	
					X10⁻²	X10⁻²	X10⁻³	X10⁻³	X10⁻²	X10⁻³	N/mm2		%	
151229X871	5L07094	40 X2500 X6100	4	19.252	18	20	14	17	20	63	270	433	26.5	OK
		TOTAL:	4	19.252										

151229X871	产品号(PRODUCT NO.): 6105CE100R 6105CE101R 6105CE104R 6105CE105R

注释 NOTES

弯曲:弯曲角度=180° 弯心直径=1.5a
G.L= Gauge Length
Y.S= Yield Strength(ReL or Rp0.2)
T.S= Tensile Strength
E.L= Percentage Elongation After Fracture
B1= Bend Test

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00087

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00087
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010013	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	AR-HPR-热轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)					
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti
					X10^{-2}	X10^{-2}	X10^{-3}	X10^{-3}	X10^{-2}	X10^{-3}
5J06603	5J06603	100 X2500 X6100	3	36.116	18	23	10	13	20	53
5J06604	5J06604	100 X2500 X6100	9	108.466	17	22	7	15	21	60
5J06605	5J06605	100 X2500 X6100	9	108.349	18	21	13	30	20	61
5J06606	5J06606	100 X2500 X6100	6	72.215	18	22	15	30	18	60
5J06628	5J06628	100 X2500 X6100	1	11.902	18	18	11	12	17	58
		TOTAL:	28	337.048						

5J06603	产品号(PRODUCT NO.): 6103CY116R 6103CY123R 6107BY053R
5J06604	产品号(PRODUCT NO.): 6103CY119R 6103CY122R 6103CY124R 6104AY107R 6104AY109R 6104AY111R 6104AY114R 6104AY115R 6107BY056R
5J06605	产品号(PRODUCT NO.): 6104AY108R 6104AY116R 6104AY117R 6107BY042R 6107BY043R 6107BY051R 6107BY052R 6107BY055R 6107BY057R
5J06606	产品号(PRODUCT NO.): 6104AY110R 6107BY041R 6107BY046R 6107BY047R 6107BY048R 6107BY054R
5J06628	产品号(PRODUCT NO.): 6105BY223R

注释 NOTES

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00088

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00088
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010013	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	AR-HPR-热轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)					
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti
					X10^{-2}	X10^{-2}	X10^{-3}	X10^{-3}	X10^{-2}	X10^{-3}
5J06627	5J06627	45 X2500 X6100	4	21.526	19	19	10	10	20	55
5J06628	5J06628	45 X2500 X6100	4	21.634	18	18	11	12	17	58
5L07040	5L07040	45 X2500 X6100	2	10.716	18	22	10	11	21	61
5L07041	5L07041	45 X2500 X6100	8	42.852	19	22	14	14	20	58
6K00002	6K00002	100 X2500 X6100	4	48.170	18	21	9	16	21	53
		TOTAL:	22	144.898						

5J06627	产品号(PRODUCT NO.): 6101CY207R 6101CY208R 6103BY123R 6103BY124R
5J06628	产品号(PRODUCT NO.): 6103BY129R 6103BY130R 6103BY131R 6103BY132R
5L07040	产品号(PRODUCT NO.): 6106DY136R 6106DY137R
5L07041	产品号(PRODUCT NO.): 6106AY005R 6106AY006R 6106AY007R 6106AY008R 6106AY013R 6106AY014R 6106DY134R 6106DY135R
6K00002	产品号(PRODUCT NO.): 6103CY125R 6103CY126R 6103CY128R 6103CY129R

注释 NOTES

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00089

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00089
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010013	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	AR-HPR-热轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)					
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti
					X10^{-2}	X10^{-2}	X10^{-3}	X10^{-3}	X10^{-2}	X10^{-3}
5J06597	5J06597	80 X2500 X6100	7	67.555	18	22	7	26	24	60
5J06598	5J06598	80 X2500 X6100	10	96.426	18	22	7	26	19	58
5J06599	5J06599	80 X2500 X6100	12	115.775	17	22	6	18	19	59
5L07042	5L07042	50 X2500 X6100	12	71.482	17	22	13	30	20	57
5L07043	5L07043	50 X2500 X6100	20	119.380	17	21	16	22	20	60
		TOTAL:	61	470.618						

5J06597	产品号(PRODUCT NO.): 6105BE318R 6106AE196R 6106AE256R 6106AE258R 6106AE259R 6106AE260R 6106AE261R
5J06598	产品号(PRODUCT NO.): 6103CY118R 6105AE131R 6105BE164R 6106AE202R 6106AE205R 6106AE208R 6106AE209R 6106AE211R 6107BY044R 6107BY050R
5J06599	产品号(PRODUCT NO.): 6103CY117R 6103CY121R 6106AE195R 6106AE197R 6106AE198R 6106AE199R 6106AE203R 6106AE257R 6106CE131R 6106CE133R 6106CE135R 6107BY049R
5L07042	产品号(PRODUCT NO.): 6104AY131R 6104AY132R 6104AY133R 6104AY134R 6104AY135R 6104AY136R 6106AY001R 6106AY002R 6106AY041R 6106AY042R 6106DY128R 6106DY129R
5L07043	产品号(PRODUCT NO.): 6106AY003R 6106AY004R 6106AY023R 6106AY024R 6106AY025R 6106AY026R 6106AY027R 6106AY028R 6106AY029R 6106AY030R 6106AY031R 6106AY032R 6106AY033R 6106AY034R 6106AY035R 6106AY036R 6106AY037R 6106AY038R 6106DY130R 6106DY131R

注释 NOTES

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR

河北钢铁集团唐山钢铁集团有限公司
唐山中厚板材有限公司
Tangshan Heavy Plate Co., Ltd

产品质量证明书
MILL TEST CERTIFICATE

中国河北唐山乐亭新区王滩镇临港工业园区 邮编：063600
Wangtan, Laoting, Tangshan Hebei
TEL：+86-315-4959386 FAX：+86-315-4959318

160119H00090

客户名称 CUSTOMER	WIN FAITH TRADING LIMITED	产品名称 PRODUCT	普通结构用轧制钢板		
收货单位 PURCHASER	WIN FAITH TRADING LIMITED	客户编号 CUSTOMER NO.	3000063	证明书编号 CERTIFICATE NO.	160119H00090
执行标准 SPECIFICATION	JIS G3101-2010 ; SS400-Ti	出货单号 DELIVERY NO.	T16010013	证明书日期 T/C ISSUE DATE	20160119
		交运日期 SHIPPING DATE		交货状态 DELIVERY CONDITION	AR-HPR-热轧
牌号 TRADE NO.	SS400-Ti	订单编号 ORDER NO.	1000040995	合同号 CONTRACTNO.	15XS-CK-1204

批次号 SAMPLE NO.	炉号 HEAT NO.	尺寸与规格 PRODUCT DESCRIPTION			化学成份 CHEMICAL ANALYSIS(%)					
		尺寸(厚×宽×长) DIMENSION(mm)	数量 PCS	重量 TON	C	Mn	S	P	Si	Ti
					X10^{-2}	X10^{-2}	X10^{-3}	X10^{-3}	X10^{-2}	X10^{-3}
5J06600	5J06600	80 X2500 X6100	11	105.982	17	24	9	17	18	57
5J06601	5J06601	80 X2500 X6100	12	115.805	19	21	9	21	18	57
5J06602	5J06602	80 X2500 X6100	11	106.067	17	20	6	13	22	62
5J06603	5J06603	80 X2500 X6100	8	77.135	18	23	10	13	20	53
		TOTAL:	42	404.989						

5J06600	产品号(PRODUCT NO.): 6106AE112R 6106AE113R 6106AE115R 6106AE116R 6106AE117R 6106AE118R 6106AE119R 6106AE210R 6106CE009R 6106CE134R 6106CE136R
5J06601	产品号(PRODUCT NO.): 6105AE127R 6105BE089R 6105BE162R 6105BE168R 6106AE114R 6106AE120R 6106AE201R 6106AE207R 6106CE010R 6106CE128R 6106CE129R 6106CE132R
5J06602	产品号(PRODUCT NO.): 6105AE128R 6105AE130R 6105BE090R 6105BE163R 6105BE316R 6106AE193R 6106AE194R 6106AE204R 6106CE008R 6106CE011R 6106CE130R
5J06603	产品号(PRODUCT NO.): 6105AE125R 6105AE126R 6105AE129R 6105BE315R 6105BE317R 6106AE200R 6106AE206R 6107BY045R

注释 NOTES

注：产品牌号以质量证明书为准

兹证明本文所列产品，均依材料标准制造及试验，并符合标准之要求。
WE HEREBY CERTISFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

张润斌

成品质量负责人
CHIEF OF INSPECTOR